台灣聯合大學系統 103 學年度碩士班招生考試試題 共 人 頁 第 人 頁

類組:物理類 科目:近代物理(2003) ※選擇題請在答案卡內作答,非選擇題請在答案卷內作答

17. An electron has wavefunction of ψ . If a positive charge q is located at the origin. The potential energy of the electron can be written as (A) $kqe \int_{-\infty}^{\infty} r\psi \psi^* dr$. (B)

$$\frac{kqe}{\int\limits_{-\infty}^{\infty}\psi\psi^{*}dV}\cdot (C) \frac{kq}{r^{2}}\int\limits_{-\infty}^{\infty}e\psi\psi^{*}dV\cdot (D) \frac{kqe}{\left(\int\limits_{0}^{\infty}r\psi\psi^{*}dr\right)^{2}}\cdot (E) \frac{kqe}{\int\limits_{0}^{\infty}r\psi\psi^{*}dV}.$$

- 18. Which of the following statements about Zeeman effect is incorrect?
 - (A) It describes how atoms interact with a magnetic field.
 - (B) Electron spin can cause the spectral splitting of an atom in a magnetic field.
 - (C) Electron with larger orbital quantum number gives more splitted energy levels of an atom in a magnetic field.
 - (D) Electron with larger magnetic quantum number gives less splitted energy levels of an atom in a magnetic field.
 - (E) Normal Zeeman effect did not consider electron spin.

三、填充題 (共兩題,每題5分,共10分),請將答案填寫在試卷紙上 (不必寫計算過程)

- 19. A quantum system has only two energy levels E_1 , E_2 , and there is no degeneracy. Suppose initially the system is in a superposition state described by the initial wave function $\psi(x,0)=\frac{1}{\sqrt{2}}u_1(x)+\frac{i}{\sqrt{2}}u_2(x)$, here $u_1(x)$ and $u_2(x)$ are the normalized eigen-functions of the system Hamiltonian, and E_1 and E_2 are the corresponding eigenvalues respectively. Please give the result of the wave function $\psi(x,t)$ at a later time t.
- 20. Which one is the correct definition of force acting on a point particle of rest mass $\it m$, according to Einstein's special relativity?

(1)
$$\mathbf{F} = \gamma m\mathbf{a}$$
 (2) $\mathbf{F} = \frac{d}{dt}(\gamma m\mathbf{v})$

Here ${\bf F}$ denotes the force, ${\bf v}$ is the velocity of the particle, ${\bf a}$ represents the acceleration, $\gamma = \frac{1}{\sqrt{1-v^2/c^2}}$ is factor determined by the ratio v/c, and c is the speed of light in free space.



注:背面有試題

台灣聯合大學系統 103 學年度碩士班招生考試試題 共 4 頁 第 3 頁

類組:<u>物理類</u> 科目:近代物理(2003)

※選擇題請在答案卡內作答,非選擇題請在答案卷內作答

- 10. Melting point of a piece of material is related to the
 - (A) ionization energy of the composite atoms,
 - (B) bonding energy between the atoms,
 - (C) Debye energy of the material,
 - (D) spin-orbital interaction of the electron states,
 - (E) mean free path of the free electrons.
- 11. To describe the collective behavior of a large number of photon should use (A) Boltzman distribution, (B) Fermi-Dirac distribution, (C) Bose-Einstein distribution,
 - (D) probability distribution, (E) Gaussian distribution.
- $\sqrt{\,$ 12. When temperature increases, which of the following statement is false?
 - (A) Electric conductivity of metal decreases.
 - (B) Fermi-Dirac distribution gets closer to Boltzman distribution.
 - (C) Lattice constants of most crystals increase.
 - (D) Peak emission wavelength of black body radiation increases.
 - (E) Electron has better chance to tunnel through a finite thickness potential barrier.
 - 13. The so-called K_{β} X-ray is originated from the transition of (A) n=4 \rightarrow n=2, (B) n=2 \rightarrow n=1, (C) n=3 \rightarrow n=2, (D) n=3 \rightarrow n=1, (E) n=5 \rightarrow n=2.
 - 14. An electron has two energy states with wave functions are $\ \psi_1\$ and $\ \psi_2$. If

$$\int_{-\infty}^{\infty} x \psi_1 \psi_2^* dV = 0$$
, this implies that

- (A) the two states are anti-symmetry,
- (B) the transition probability of the electron between these two states are 0,
- (C) the two states are allowed transition,
- (D) the two states have parallel spin direction,
- (E) these two states are orthogonal to each other.
- 15. The magnesium (Mg) atom has two 3s electrons outside filled inner shells. The term symbol of its ground state is (A) $^2P_{1/2}$, (B) 1S_0 , (C) $^2P_{5/2}$, (D) $^2S_{1/2}$, (E) $^3P_{1/2}$.
- $\sqrt{16}$. When temperature increases, which of the following statement is false?
 - (A) Electric conductivity of metal decreases.
 - (B) Fermi-Dirac distribution gets closer to Boltzman distribution.
 - (C) Lattice constants of most crystals increase.
 - (D) Peak emission wavelength of black body radiation increases.
 - (E) Electron has better chance to tunnel through a finite thickness potential barrier.

注:背面有試題



台灣聯合大學系統 103 學年度碩士班招生考試試題 共工工 頁 第 2 頁

類組:物理類 科目:近代物理(2003)

※選擇題請在答案卡內作答,非選擇題請在答案卷內作答

- 6. Which action cannot increase the ground state energy of a finite potential well ?
 - (A) decrease the well width
 - (B) increase the well width
 - (C) increase the high (the potential outside) of the well
 - (D) reduce the mass of the particle that is confined in the well
 - (E) increase the value of Planck constant (if it is possible)
- 7. A particle is confined in a cubic box with walls unable to penetrate. The edges of the walls have length L. Which statement is not correct?
 - (A) the energy levels are of the form $E=\frac{1}{3}E_0\left(n_1^2+n_2^2+n_3^2\right)$, where n_1 , n_2 , n_3 are three positive integers, and E_0 is the ground state energy.
 - (B) the eigen-wavefunctions of the time independent Schrödinger equation can be expressed as $u(x,y,z)=A\sin\frac{n_1\pi x}{L}\sin\frac{n_2\pi y}{L}\sin\frac{n_3\pi z}{L}$ if the coordinate axes are coincident with three edges of the box. Here A is the normalization constant.
 - (C) the degeneracy of the ground state is 1.
 - (D) the ground state energy is $E_0 = \frac{3\pi^2\hbar^2}{2mL^2}$.
 - (E) if two opposite walls are replaced by a parabolic potential, the energy levels would become $E=E_a\left(n_1^2+n_2^2\right)+E_bn_3$, where n_1 , n_2 , n_3 are three positive integers, E_a and E_b are two constant energies.
- 8. Choose the fact or phenomenon that has nothing to do with uncertainty principle.
 - (A) the quantization of angular momentum in a central potential.
 - (B) zero point energy of the harmonic oscillator system.
 - (C) the precise location of a particle under Brownian motion is unpredictable
 - (D) the exact position and exact momentum of an object cannot be determined at the same time.
 - (E) the uncertainty of the measured energy ΔE in an atomic process times the uncertainty of time Δt of the measurement must be equal to or greater than $\hbar/2$.
- 9. An electron is located at orbital 3p, which of the following orbital this electron can't achieve transition by emitting or absorbing a photon? (A) 2p, (B) 4s, (C) 3s, (D) 5d, (E) 5s.

注:背面有試題



類組:物理類 科目:近代物理(2003)

※選擇題請在答案卡內作答,非選擇題請在答案卷內作答

台灣聯合大學系統近代物理試題

- 一、多重選擇題,使用答案卡(每題5分,共20分,每題單一選項答錯倒扣1分)
- 1. Which two are the postulates of Einstein's special relativity?
 - (A) The laws of physics are the same in all the inertial frames of reference.
 - (B) The speed of light in free space is the maximum possible speed in the universe.
 - (C) Mass can be transformed into energy completely.
 - (D) The speed of light in free space has the same value in all inertial frames of reference.
 - (E) The definition of time relies on the reference frame.
- 2. Which statements are not true regarding photoelectric effect?
 - (A) There is no detectable time interval between the arrival of light at metal surface and the emission of photoelectrons.
 - (B) A bright light yields more photoelectrons than a dim one of the same frequency.
 - (C) A bright light yields photoelectrons of higher energies than a dim one of the same frequency.
 - (D) The higher the frequency of the light, the more energy the photoelectrons have.
 - (E) This effect can be explained by the classical electromagnetic wave theory of light.
- 3. Which statements are true?
 - (A) According to quantum mechanics, it is impossible to determine the precise values of any two different physical quantities simultaneously.
 - (B) Photons are bosons.
 - (C) Hydrogen atom has only discrete spectrum of energy.
 - (D) Harmonic oscillator system has discrete as well as continuous energy spectrum.
 - (E) The square of the absolute value of wave function represents probability density.
- 4. Which effects or phenomena reveal the particle nature of light?
 - (A) Aharonov-Bohm effect (B) Compton effect (C) Doppler effect (D) Photoelectric effect (E) Gravitational red shift
- 二、單一選擇題,使用答案卡(每題5分,共70分。每題答錯倒扣1分)
- 5. Which physical quantity is invariant under Lorentz transformation?
 - (A) energy (B) momentum (C) current (D) charge density (E) charge

注:背面有試題

參考用