

※請在答案卷內作答

Note: Detailed derivations are required to obtain a full score for each problem.

$$1. (10\%) \text{ Let } A = \begin{pmatrix} 0 & 3 & 2 & 1 & -4 \\ 2 & 10 & 10 & 16 & 14 \\ -3 & 0 & -5 & -2 & -7 \\ -2 & -1 & -4 & -3 & -6 \\ 2 & 7 & 8 & 11 & 10 \end{pmatrix} \text{ and } B = \begin{pmatrix} 1 & 2 & 3 & 4 & 5 & 6 & 7 & 8 & 9 \\ 0 & 1 & 2 & 3 & 4 & 5 & 6 & 7 & 8 \\ 0 & 0 & 1 & 2 & 3 & 4 & 5 & 6 & 7 \\ 0 & 0 & 0 & 1 & 2 & 3 & 4 & 5 & 6 \\ 0 & 0 & 0 & 0 & 1 & 2 & 3 & 4 & 5 \end{pmatrix}.$$

- (a) (3%) Compute  $\text{rank}(A)$ .
- (b) (2%) Compute  $\text{rank}(AB)$ .
- (c) (3%) Compute  $\text{rank}(A^tAAA^t)$ .
- (d) (2%) Compute  $\dim(N(B^tA))$ .
2. (10%) Let  $V$  be the vector space spanned by the ordered basis functions  $\beta = \{xe^{ax}, e^{ax}, e^{bx}\}$  where  $a, b \in \mathbb{R}$  and  $a \neq b$ . Define a linear transformation  $T: V \rightarrow V$  with parameters  $p, q \in \mathbb{R}$ :
- $$T(y(x)) = y'' + py' + qy.$$
- (a) (4%) Find the matrix representation for  $[T]_\beta$ .
- (b) (6%) There are two conditions for  $p$  and  $q$  such that  $\dim(N(T)) = 2$ . For each condition, express  $p$  and  $q$  in terms of  $a$  and  $b$ , and also find the corresponding null space.
3. (5%) Let  $A$  and  $B$  be  $n \times n$  square matrices such that  $AB = C$  where  $C$  is an upper triangular matrix with  $C_{ij} \neq 0$  whenever  $j \geq i$ . Prove that  $A$  and  $B$  are both invertible.
4. (16%) Let  $V$  be a vector space over a field  $\mathbb{F}$ ,  $T$  be a linear operator on  $V$ , and  $W$  be a subspace of  $V$ . We say that  $W$  is invariant under  $T$  if for each vector  $v$  in  $W$  the vector  $Tv$  is also in  $W$ . Let  $W$  be an invariant subspace for  $T$ , and  $v \in V$ . The  $T$ -conductor of  $v$  into  $W$ , denoted by  $S_T(v, W)$ , is defined as the set of all polynomials  $g(x)$  over  $\mathbb{F}$  such that  $g(T)v$  is in  $W$ , i.e.,  $S_T(v, W) = \{g(x) \in \mathbb{F}[x] \mid g(T)v \in W\}$ .
- (a) (8%) Prove the following statement. If  $W$  is an invariant subspace for  $T$ , then, for each polynomial  $g(x) \in \mathbb{F}[x]$ ,  $W$  is invariant under  $g(T)$ .
- (b) (8%) Prove that if  $W$  is an invariant subspace for  $T$  then  $S_T(v, W)$  is a subspace of  $\mathbb{F}[x]$ , the set of polynomials over  $\mathbb{F}$ .
5. (9%) Let  $T$  be a linear operator on a finite-dimensional inner product space  $V$ . Prove that  $N(T^*T) = N(T)$ , where  $N(T)$  is the null space for  $T$ .

注意：背面有試題

參考用

類組：電機類 科目：工程數學 A(3003)

共 3 頁 第 2 頁

※請在答案卷內作答

6. (5%) Solve  $y'' + 5y' + 4y = 10e^{-3x}$

7. (5%) Solve the following differential equation with the initial conditions by using Laplace transform.  $u(t)$  is the unit step function.

$$y'' - 2y' + y = (e^t + t)u(t)$$

$$y(0) = 1$$

$$y'(0) = 0$$

8. (5%) Find the eigenvalues and eigenfunctions.

$$y'' + \lambda y = 0 ; y(0) = y(\pi/2) = 0$$

9. (5%) Find the general solution of  $(1 - x^2)y'' - 2xy' + 12y = 0$  using "series solution" when  $-1 < x < 1$ .10. (5%) Find the Fourier Series of  $f(t)$ .

$$f(t) = \begin{cases} 0, & -\pi < t < 0 \\ 1, & 0 < t < \pi \end{cases}$$

$$f(t + n2\pi) = f(t)$$

11. (5%) Find the principle value of  $(3 + 4i)^{1/3}$ .

12. (5%) Find the open disk of convergence of the following power series and its radius

$$\sum_{n=0}^{\infty} \frac{n^3}{4^n} (z + 3i)^{3n}$$

13. (5%) Evaluate the integration of

$$\int_C \operatorname{Re}(z) dz$$

where  $C$  is the shortest path from  $1+i$  to  $6+6i$ 

注意：背面有試題

參考用

※請在答案卷內作答

14. (10%) Evaluate the integration of

$$\oint_C \frac{\sinh z}{\sin z} dz$$

where  $C: |z| = \frac{4}{3}\pi$ , clockwise.

參考用