科目_	普通生物學	類組別	A1		共_10_頁	第 頁		
思 雅 類	(50 期 父安祷伯认父	· (安子)	(-				
	單選題(每題 2 分, 共 50 題, 答案請填於答案卡) 答錯不倒扣 1 is the major constituent of cellular membrane.							
		nospholipid C) steroic		E) cholesterol				
11) 61	Siyeeride D) pi.	iospiionpia e) steroit	as Dylatty acra	D) cholesteror				
2. Amino	acids can be dist	inguished from one ano	ther by					
		ups found on the amino						
B) the	chemical properti	ies of their R groups.						
C) the	type of bond betw	veen the R group and the	e rest of the amino	acid molecule.				
D) the	chemical properti	ies of their amino and ca	arboxyl groups.					
E) All	of the choices are	correct.						
3. Every	subunit (nucleotic	le) of a polynucleotide o	contains ne	egative charge(s)				
A) 0	B) 1 C) 2	D) 3 E) 4						
	_	ng statements about acti-	- '					
		s a special kind of active	•	•	gy.			
		ires energy, usually in th		•				
	<u>*</u>	ves substances down the	C	dients.				
	•	in active transport are o	•					
		e the active transport of	ions		÷			
A) II a								
, ,	, III and IV V and V							
,	and IV							
E) All	anu i v							
L) All								
5. How d	o the reaction cent	ters of photosystem I, ar	nd II differ?					
		•		otosystem II.				
B) The	A) chlorophyll α is found in photosystem I, and chlorophyll b in photosystem II.B) They preferentially absorb slightly different wavelengths of light.							
C) One	C) One is located in the thylakoid membrane, and the other in the stroma.							
D) Onl	D) Only photosystem I is found in the thylakoid membranes.							
E) Non	E) None of the above.							
6. Which	one of the followi	ing statements is NOT t	rue?					
A) Rec	eptor tyrosine kin	ases generally activate a	single transduction	n pathway.				

- 10. In a photosystem, clusters of chlorophyll b, and carotenoid pigments function most like _____.
 - A) an electrical generator
 - B) an antenna
 - C) a propeller on a motorboat
 - D) a windmill
 - E) a spring
- 11. Sex determination in mammals is due to the SRY gene found on the Y chromosome. Which of the following situations could allow a person with an XX karyotype to develop a male phenotype?

- A) the loss of the SRY gene from an autosome
- B) translocation of SRY to an X chromosome
- C) the presence of an extra autosomal chromosome
- D) the presence of one normal and one shortened (deleted) X chromosome
- E) None of the above.
- 12. What is the main advantage of the C₄ and CAM photosynthesis strategies over the C₃ strategy?
 - A) They help the plant conserve water and synthesize glucose efficiently under hot, dry conditions.
 - B) They allow the plant to fix carbon more efficiently under conditions of low atmospheric CO₂.
 - C) They allow the plant to fix carbon more efficiently in dim or cool conditions.
 - D) They make it possible for the plant to use the Calvin cycle at night and during the day.
 - E) They allow the plant to avoid photorespiration by producing a four-carbon sugar in place of glucose.
- 13. Which of the following statements regarding gene linkage is correct?
 - A) The closer two genes are on a chromosome, the lower the probability that a crossover will occur between them.
 - B) The observed frequency of recombination of two genes that are far apart from each other has a maximum value of 100%.
 - C) All of the traits that Mendel studied—seed color, pod shape, flower color, and others—are due to genes linked on the same chromosome.
 - D) Linked genes are found on different chromosomes.
 - E) All of the above.
- 14. Albinism is a recessive trait. A man and woman both show normal pigmentation, but both have one parent who has albinism (without melanin pigmentation). What is the probability that their first child will have albinism?
 - A) 0 B) 1/2 C) 1/4 D) 1 E) 1/16
- 15. Which one of the following statements is **NOT** true for signal transduction in the cells?
 - A) The relay molecules in signaling transduction are often proteins.
 - B) Many of the relay molecules are protein kinases, and they often act on other protein kinases in the pathway.
 - C) The activity of a protein regulated by phosphorylation depends on the balance in the cell between active kinases and active phosphatases.
 - D) Cytoplasmic protein kinases phosphorylate serine or glycine.
 - E) None of the above.

科目 <u>普通生物學</u> 類組別 <u>A1</u> 共 <u>10</u> 頁 第 <u>4</u> 頁
16. Which of the following statements about independent assortment or segregation is correct?
A) The law of independent assortment describes the behavior of two or more genes relative to one another.
B) The law of segregation describes the behavior of two or more genes relative to one another.
C) The law of independent assortment is accounted for by observations of prophase I of meiosis.
D) The law of segregation is accounted for by anaphase of mitosis.
E) None of the above.
17. It has been absented that enganisms on islands are different from but alongly related to similar forms for
17. It has been observed that organisms on islands are different from, but closely related to, similar forms four
on the nearest continent. This is taken as evidence that A) island forms are descended from mainland forms
B) common environments are inhabited by the same organisms
C) island forms and mainland forms have identical gene pools
D) the island forms and mainland forms are converging
E) None of the above.
E) None of the above.
18. Genes in chromosomes packed into fiber show the highest transcriptional activity.
A) 10 nm B) 30 nm C) supercoiling D) metaphase chromosome E) naked DNA
19. Which factor and mechanism regulates population growth in negative feedback manner typically so the
population growth may follow the logistic growth model?
A) earth quakes; density-dependent
B) infectious disease; density-dependent
C) competition for resources; density-independent
D) toxic wastes; density-independent
E) toxic wastes; competition for resources
20. Given a population that contains genetic variation, what is the correct sequence of the following events und
the influence of natural selection?
1. Well-adapted individuals leave more offspring than do poorly adapted individuals.
2. A change occurs in the environment.
3. Genetic frequencies within the population change.
4. Poorly adapted individuals have decreased survivorship.
A) 2 \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \
A) $2 \rightarrow 4 \rightarrow 1 \rightarrow 3$ B) $4 \rightarrow 2 \rightarrow 1 \rightarrow 3$

注意:背面有試題

科目 <u>普通生物學</u> 類組別 <u>Al</u>	共 10 頁 第 5 頁
$C) 4 \rightarrow 2 \rightarrow 3 \rightarrow 1$	•
$D) 2 \rightarrow 4 \rightarrow 3 \rightarrow 1$	
E) $3 \rightarrow 4 \rightarrow 2 \rightarrow 1$	
21. In a comparison of birds and mammals, having four limbs is	
A) a shared ancestral character	
B) a shared derived character	
C) a character useful for distinguishing birds from mammals	
D) an example of analogy rather than homology	
E) None of the above.	
22. Which virus is responsible for causing infectious mononucleosis?	
A) Epstein-Barr virus	
B) Cytomegalovirus	
C) Herpes simplex virus	
D) Varicella-zoster virus	
E) None of the above.	
23. Which is NOT the factor contributed to prokaryotes genetic diversity?	
A) Rapid reproduction	
B) Genetic recombination	
C) Mutation	
D) Mutualism	
E) All of the above.	
24. What part of the bacterial cell helps it move?	
A) Capsule B) The flagella C) Pili D) Fimbriae E) Cilia	
25. The maternal factor define the anterior/head structure of a fly embryo.	
A) Torso B) Bicoid C) Nanos D) Antennapedia E) Dorsal	
26. Which two joined amino sugars form a peptidoglycan monomer?	
A) N-acetylglucosamine and N-acetylmuramic acid	
B) N-acetylglucosamine and N-acetyltalosaminuronic	
, , , ,	,
C) N-acetylmuramic acid and pseudomurein	

科目_	普通生物學	類組別_	A1	共 <u>10</u> 頁第 <u>6</u> 頁
	actosamine and Da	nunosamine		
·	rial conjugation is	an example of	<u></u> .	
C) Hor D) Bac	tical gene transfer rizontal gene transformati			
28. Whic	-		scription in retroviruses? C) Reverse transcriptas	
A) Its of B) Its of C) It go	th of the following cells contract. cells are striped. cenerally cannot be cenerally can be contells are branched.	contracted at will.	muscle from both smoot	h and skeletal muscles?
30. Which	•		h the lymphatic and endo) Spleen E) Thyroid g	
A) Not B) Son C) Bot D) A c	every organism is ne small molecules h arthropods and h	can move between couman beings have clo	, nutrients, and waste witells and their surrounding sed circulatory systems.	
32. Which	_	is an example of a tiss C) a red blood cell		stem E) the spleen
33 A) Pan			ntralize the acidity of chy D) Small intestine E)	yme. Stomach

科目_	普通生物學	類組別	A1	<u> </u>
				·
34. The _	carries nutrient	-rich blood from th	e capillaries of	the villi to the liver, then to the heart.
A) hep	atic portal artery			
B) hep	atic portal vein			
C) sup	erior vena cava			
D) hep	atic vein			
E) com	mon carotid artery			
35. Which	h one of the following s	tatements is NOT	true?	
A) Fish	gills use a countercurr	ent exchange syste	m to increase bl	ood flow.
	ish gills, more than 80% face.	of the O ₂ dissolve	ed in the water is	s removed as water passes over the respirator
C) In h	uman lungs, cilia and n	nucus line the epith	elium of the air	ducts and move particles up to the pharynx.
D) Res	piratory surfaces are alv	vays thin and mois	t.	
E) All	of the above.			
36. Whicl	n one is secreted by cyto	otoxic T cells?		
A) hista	amine B) perforin	C) IgG D) IL-	lβ E) None o	of the above.
37. Whicl	n of the following is true	e of innate behavio	rs? Innate behav	viors
A) are	only weakly influenced	by genes		
В) осси	or in invertebrates and s	ome vertebrates bu	t not mammals	
C) are l	imited to invertebrate a	nimals		
D) are	expressed in most indiv	duals in a populat	ion	
E) Non	e of the above.			
38. What	is cell mediated immun	ty?		
A) pres	ence of antigen cause B	cell to proliferation	on and differenti	ate into plasma cells and memory B cells.
B) effec	ctor T cells are needed to	eliminate intracel	lular pathogens	within intracellular vesicles of cells following
pha	gocytosis (CD4) or in the	ne cytoplasm of in	fected cells (CD	8)
C) occu	rs during thymic educat	ion, T cells that rea	ct with antigens	present before birth are deleted to eliminating
self	reactivity.			
	•	acrophages and der	ndritic cells. Ma	jor cytokine to induce differentiation. of CD4
	ells into TH1 cells.	-		
E) All c	of the above.			
•				

注意:背面有試題

科目_	普通生物	9	_類組別	A1		共10頁	第_8_頁
39. How	do T cell rece	eptor recognize	antigen?				
A) Ant	igen receptor	s of T cell bind	I to antigens on	the surface of	f a virus.		
B) the	antigen recep	tors on the surf	face of the help	er T cell bind t	o antigen fragments	complex wit	h class-I MHC
mo	lecules on the	e antigen-prese	nting cell.				:
C) acc	essory proteir	n CD8 on the h	elper T cell sur	face binds to	the MHC molecules	, helping kee	p the cell-cells
joi	ned.						
D) an	antigen fragm	ent binds to ar	n MHC molecu	le and then di	splayed to the cell s	urface. The o	combination of
MI	HC molecule	and antigen is	recognized by	Γ cell.			
E) Nor	e of the abov	re.					
40. The n	najor function	of the colon is	s the absorption	ı of a	and .		
	erals; water		·				:
B) pep	tides; mineral	ls					
C) wat	er; vitamins						
D) min	erals; vitamir	าร					
E) pept	tides; vitamin	S					
41. Whiel	n one of the f	ollowing stater	ments is NOT t	rue?			
A) Mos	st of CO ₂ from	n respiring cell	s diffuses into	the blood and	is transported in sol	ution in bloo	d plasma.
B) Nitr	ic oxide (NO) is a major ind	lucer of vasodi	lation.			
C) The	medulla regu	ılates the rate a	and depth of bro	eathing in resp	onse to pH changes	in the cereb	rospinal fluid.
,	urn of blood		be enhanced	by contraction	of smooth muscle i	n venule wal	ls and skeletal
E) Non	e of the abov	e.					
42. Which	n one of the fo	ollowing staten	nents is not tru	e?			
A) The	development	of body organ	s of a human e	mbryo mainly	occurs in the first 3	months of p	regnancy.
B) Dur	ing human pr	egnancy, the fu	inction of muci	us plugs in the	cervix is to prevent	a second fer	tilization.
C) Abo	ut 24 hrs afte	r fertilization,	the zygote begi	ns to divide b	y mitosis without ch	anges in eml	oryo size.
D) In h	uman pregna	ncy, the mother	r's blood conta	ins DNA from	the fetus.		
E) All o	of the above.						
43. Senso	ry transduction	on of light/dark	information in	the vertebrate	e retina is accomplis	hed by	
A) rods	and cones	B) horizontal	cells C) am	acrine cells	D) ganglion cells	E) bipolar	cells

科目_	普通生物學	<u> </u>	負組別	A1		第頁	
44. The	amnion cells of h	uman embryos	are derived	from			
A) hy	ooblasts B) ep	iblasts C) tr	ophoblasts	D) allantois	E) None of the above.		
45. Signa	als from	induce cells a	bove to beco	ome cells of ner	ıral plate.		
A) arc	henteron B) v	egetal pole	C) yolk sac	D) notochor	d E) None of the above.		
	happens when a			e depolarizes?			
	ere is a net diffus						
	e equilibrium pot	·		•			
_	neuron's memb	_		•			
	e cell's inside is n	nore negative t	han the outs	ide.			
E) Noi	ne of the above.						
45 110:							
	h of the followin	_	•		rect?		
	ion potentials for	_	•				
	ion potentials for	_	•				
	ion potentials are		•		1.4. 4		
		uring the action	n potential o	ccurs mostly th	rough the sodium pump.		
E) Nor	ne of the above.						
48. Whic	h of the following	g is a potential	problem ass	ociated with ge	enetically engineered plants?		
	ease resistance go		•	· ·	mentany engineered plants.		
ŕ	ill be difficult to	•			s.		
•	ineered plants w	-	•	·J <u>r</u>			
, ,	etically engineer			o reproduce on	their own.		
•	of the above.	P		o 10p100000 o.1			
23)122							
49. Scient	ists believe that	the direction bi	irds go when	migrating is g	uided in part by		
I) the	stars in the night	sky					
II) the	sun during the c	lay					
•	e magnetic field	•					
ŕ	A) only I B) only II C) only III D) I, II, and III E) None.						
, ,	, ,		,	,			
50. The co	orrect sequence o	of sensory proce	essing is	•			

红日	普通生物學	類組別	Δ1	共(0頁	笠「D百
杆日	普通生物字	 	Al	<u> </u>	<u>ヤ (し</u> 只

- A) sensory perception \rightarrow stimulus reception \rightarrow sensory transduction \rightarrow sensory adaptation.
- B) sensory perception \rightarrow sensory transduction \rightarrow stimulus reception \rightarrow sensory adaptation.
- C) stimulus reception \rightarrow sensory perception \rightarrow sensory adaptation \rightarrow sensory transduction.
- D) sensory adaptation \rightarrow stimulus reception \rightarrow sensory transduction \rightarrow sensory perception.
- E) stimulus reception \rightarrow sensory transduction \rightarrow sensory perception \rightarrow sensory adaptation.